

# ADJUSTABLE HEIGHT IRON-I WORKCENTERS

IRON-I WORKCENTERS ARE COMPLETELY ADJUSTABLE AND ARE AVAILABLE IN 2 DEPTHS AND 4 LENGTHS WITH OVER 35 VARYING LEG HEIGHTS! YOU CAN CHOOSE FROM 5 STANDARD TOPS TO CUSTOMIZE TO YOUR SPECIFIC REQUIREMENTS

- ADJUSTABLE HEIGHT 26" TO 44"
- THREE-WAY ADJUSTABLE SHELF
- ELECTRICAL, AIR AND FLUID POWER KNOCKOUTS ON EACH LEG
- HEAVY-DUTY CANTILEVER LEG DESIGN ELIMINATES OBSTRUCTION OF CORNER LEG DESIGN

# IRON-I



**ADJUSTABILITY**  
TOTAL ADJUSTABILITY. LEG HEIGHTS FROM 26" TO 44" IN 1/2" INCREMENTS.



**ADJUST POSITION**  
SHELF CAN BE ADJUSTED TO BE CLOSER TO FRONT OR BACK OF BENCH.



**ADJUST SLOPE**  
SHELF CAN BE SLOPED TOWARD FRONT OR TOWARD REAR OF BENCH.



**ADJUST HEIGHT**  
SHELF CAN BE LOCATED IN ANY ONE OF 3 HEIGHT POSITIONS.



**ELECTRIC POWER**  
EACH BENCH HAS KNOCKOUTS FOR 8 ELECTRICAL OUTLETS. KNOCKOUTS ARE IN BOTH TOP AND BOTTOM OF EACH LEG.



**AIR OR FLUID POWER**  
EACH BENCH HAS 4 KNOCKOUTS FOR AIR OR FLUID POWER. KNOCKOUTS ARE IN BOTH TOP AND BOTTOM OF LEG.



**OPTIONAL LEVELERS**  
EACH BENCH LEG CAN BE EQUIPPED WITH OPTIONAL LEVELLERS TO ACHIEVE EXACT HEIGHT AND LEVEL NEEDED. CATALOG No. 11650-04

PATENTS PENDING

## ADJUSTABLE HEIGHT IRON-I WORKCENTERS-PRECONFIGURED UNITS

- LOWER SHELF ADJUSTS TO THREE HEIGHTS AND TILTS FRONT OR BACK TO FIT YOUR APPLICATION
- MORE THAN 445 SIZES
- BACK AND SIDE RAILS KEEP PARTS ON TOP OF WORKCENTER
- SAVES TIME
- ADJUSTABLE FROM 26" TO 36" OR FROM 34" TO 44" IN 1/2" INCREMENTS TO MEET YOUR EXACT HEIGHT REQUIREMENTS
- OPTIONAL LEVELLERS SET BENCH HEIGHT EXACTLY WHERE YOU NEED IT
- CUSTOMIZE TO FIT YOUR SPECIFIC NEEDS
- KNOCKOUTS IN LEGS PROVIDE FOR SAFE, CONVENIENT ELECTRICAL HOOKUP
- AERIAL SHELF ADDS SPACE FOR INCREASED PRODUCTIVITY
- DRAWERS PROVIDE SECURITY AND EXPAND SPACE.
- AVAILABLE IN SINGLE, DOUBLE OR TRIPLE UNITS FOR EASY MOUNTING UNDER BENCH TOPS
- ALL DRAWERS ACCEPT STANDARD PADLOCKS, OR ORDER #10405 KEYLOCKS, KEYED EITHER DIFFERENTLY OR ALIKE
- DEPENDING ON TYPE OF TOP, WORKBENCH WILL SUPPORT UP TO 1,800 LBS.



426U6 BENCH WITH LOWER SHELF

BENCH WITH LOWER SHELF							
DEPTH	HEIGHT	LENGTH	STEEL	----- WOOD TOP -----	HARDBOARD	ESD TOP	
			WITH BACKSTOP	HARDWOOD	BONDED WOOD	WITH BACKSTOP	ANTI-STATIC
30"	26" TO 36"	4'	425U4	425-4W	425-4B	425U4M	425-4C
		5'	425U5	425-5W	425-5B	425U5M	425-5C
		6'	425U6	425-6W	425-6B	425U6M	425-6C
	34" TO 44"	8'	425U8	425-8W	425-8B	425U8M	425-8C
		4'	426U4	426-4W	426-4B	426U4M	426-4C
		5'	426U5	426-5W	426-5B	426U5M	426-5C
		6'	426U6	426-6W	426-6B	426U6M	426-6C
		8'	426U8	426-8W	426-8B	426U8M	426-8C
36"	26" TO 36"	4'	435U4	435-4W	435-4B	435U4M	435-4C
		5'	435U5	435-5W	435-5B	435U5M	435-5C
		6'	435U6	435-6W	435-6B	435U6M	435-6C
	34" TO 44"	8'	435U8	435-8W	435-8B	435U8M	435-8C
		4'	436U4	436-4W	436-4B	436U4M	436-4C
		5'	436U5	436-5W	436-5B	436U5M	436-5C
		6'	436U6	436-6W	436-6B	436U6M	436-6C
		8'	436U8	436-8W	436-8B	436U8M	436-8C

8" BENCH LEGS ARE ON 6" CENTERS. THE TOP OVERHANGS LEGS 1" ON EACH SIDE.  
PAGES 106-107 FEATURE PRODUCTIVITY ENHANCEMENTS FOR THESE BENCHES

# IRON-I

428U6



BENCH WITH LOWER SHELF, AERIAL SHELF AND DRAWER.

BENCH WITH LOWER SHELF, AERIAL SHELF AND DRAWER							
DEPTH	HEIGHT	LENGTH	STEEL	----- WOOD TOP -----	HARDBOARD	ESD TOP	
			WITH BACKSTOP	HARDWOOD	BONDED WOOD	WITH BACKSTOP	ANTI-STATIC
30"	26" TO 36"	4'	427U4	427-4W	427-4B	427U4M	427-4C
		5'	427U5	427-5W	427-5B	427U5M	427-5C
		6'	427U6	427-6W	427-6B	427U6M	427-6C
	34" TO 44"	8'	427U8	427-8W	427-8B	427U8M	427-8C
		4'	428U4	428-4W	428-4B	428U4M	428-4C
		5'	428U5	428-5W	428-5B	428U5M	428-5C
		6'	428U6	428-6W	428-6B	428U6M	428-6C
		8'	428U8	428-8W	428-8B	428U8M	428-8C
36"	26" TO 36"	4'	437U4	437-4W	437-4B	437U4M	437-4C
		5'	437U5	437-5W	437-5B	437U5M	437-5C
		6'	437U6	437-6W	437-6B	437U6M	437-6C
	34" TO 44"	8'	437U8	437-8W	437-8B	437U8M	437-8C
		4'	438U4	438-4W	438-4B	438U4M	438-4C
		5'	438U5	438-5W	438-5B	438U5M	438-5C
		6'	438U6	438-6W	438-6B	438U6M	438-6C
		8'	438U8	438-8W	438-8B	438U8M	438-8C

8" BENCH LEGS ARE ON 6" CENTERS. THE TOP OVERHANGS LEGS 1" ON EACH SIDE.  
PAGES 106-107 FEATURE PRODUCTIVITY ENHANCEMENTS FOR THESE BENCHES

PATENTS PENDING

# ADJUSTABLE HEIGHT IRON-I WORKCENTERS-PRECONFIGURED UNITS



422D6



IRON-I BENCH WITH LOWER SHELF 424D6

# IRON-I<sup>®</sup>

## IRON-I BENCH WITHOUT SHELF

DEPTH	HEIGHT	LENGTH	-----STEEL TOPS -----		----- WOOD TOPS -----		----- HARBBOARD ON STEEL -----		ESD TOP ANTI-STATIC	
			-----BACKSTOP -----		BONDED	WOOD	-----BACKSTOP -----			
			WITH	WITHOUT	HARDWOOD	WOOD	WITH	WITHOUT		
30"	26"	5'	421U4	421D4	421-4W	421-4B	421U4M	421D4M	421-4C	
			421U5	421D5	421-5W	421-5B	421U5M	421D5M	421-5C	
	36"	8'	421U6	421D6	421-6W	421-6B	421U6M	421D6M	421-6C	
			421U8	421D8	421-8W	421-8B	421U8M	421D8M	421-8C	
	34"	4'	422U4	422D4	422-4W	422-4B	422U4M	422D4M	422-4C	
		5'	422U5	422D5	422-5W	422-5B	422U5M	422D5M	422-5C	
		44"	6'	422U6	422D6	422-6W	422-6B	422U6M	422D6M	422-6C
			8'	422U8	422D8	422-8W	422-8B	422U8M	422D8M	422-8C
36"	26"	5'	431U4	431D4	431-4W	431-4B	431U4M	431D4M	431-4C	
			431U5	431D5	431-5W	431-5B	431U5M	431D5M	431-5C	
	36"	8'	431U6	431D6	431-6W	431-6B	431U6M	431D6M	431-6C	
			431U8	431D8	431-8W	431-8B	431U8M	431D8M	431-8C	
	34"	4'	432U4	432D4	432-4W	432-4B	432U4M	432D4M	432-4C	
		5'	432U5	432D5	432-5W	432-5B	432U5M	432D5M	432-5C	
		44"	6'	432U6	432D6	432-6W	432-6B	432U6M	432D6M	432-6C
			8'	432U8	432D8	432-8W	432-8B	432U8M	432D8M	432-8C

8' BENCH LEGS ARE ON 6' CENTERS. THE TOP OVERHANGS LEGS 1' ON EACH SIDE.  
 PAGES 106-107 FEATURE PRODUCTIVITY ENHANCEMENTS FOR THESE BENCHES

## BENCH WITH LOWER SHELF

DEPTH	HEIGHT	LENGTH	----- STEEL TOPS -----		-----WOOD TOPS -----		-----HARBBOARD ON STEEL -----		ESD TOP ANTI-STATIC	
			-----BACKSTOP -----		BONDED	WOOD	-----BACKSTOP -----			
			WITH	WITHOUT	HARDWOOD	WOOD	WITH	WITHOUT		
30"	26"	5'	423U4	423D4	423-4W	423-4B	423U4M	423D4M	423-4C	
			423U5	423D5	423-5W	423-5B	423U5M	423D5M	423-5C	
	36"	8'	423U6	423D6	423-6W	423-6B	423U6M	423D6M	423-6C	
			423U8	423D8	423-8W	423-8B	423U8M	423D8M	423-8C	
	34"	4'	424U4	424D4	424-4W	424-4B	424U4M	424D4M	424-4C	
		5'	424U5	424D5	424-5W	424-5B	424U5M	424D5M	424-5C	
		44"	6'	424U6	424D6	424-6W	424-6B	424U6M	424D6M	424-6C
			8'	424U8	424D8	424-8W	424-8B	424U8M	424D8M	424-8C
36"	26"	5'	433U4	433D4	433-4W	433-4B	433U4M	433D4M	433-4C	
			433U5	433D5	433-5W	433-5B	433U5M	433D5M	433-5C	
	36"	8'	433U6	433D6	433-6W	433-6B	433U6M	433D6M	433-6C	
			433U8	433D8	433-8W	433-8B	433U8M	433D8M	433-8C	
	34"	4'	434U4	434D4	434-4W	434-4B	434U4M	434D4M	434-4C	
		5'	434U5	434D5	434-5W	434-5B	434U5M	434D5M	434-5C	
		44"	6'	434U6	434D6	434-6W	434-6B	434U6M	434D6M	434-6C
			8'	434U8	434D8	434-8W	434-8B	434U8M	434D8M	434-8C

8' BENCH LEGS ARE ON 6' CENTERS. THE TOP OVERHANGS LEGS 1' ON EACH SIDE.  
 PAGES 106-107 FEATURE PRODUCTIVITY ENHANCEMENTS FOR THESE BENCHES